



Ring Sizing Guide

Please Note : Before printing, make sure that the page scaling is to “none” in your print options. Make sure you are printing on standard 8½ x 11 size paper (A4).



Method 1 : Paper Sizer

1. Carefully cut out the paper sizer below. Be sure to make a small slit in the end for the ruler to slide through.
2. Wrap the sizer around your finger with the numbers facing out and slide the rounded end through the slit.
3. For an accurate measurement, pull the sizer tight over the widest part of your finger. This could be a knuckle.
4. Read the number that lines up next to the slit. This is your ring size.




Tips for accurate measurement

- * Measure your finger later in the day when it is at its largest
- * Avoid measuring your finger when its cold, which are at their smallest.

Method 2 : Measure an existing ring

1. Choose a ring that fits the desired finger.
2. Place the ring over the circles below. Match the inside edge of the ring with the closest circle. This is the inside diameter of the ring.
3. If the ring falls between two sizes, select the larger of the two.



Ring Size Chart



International Ring Size Chart

Circumference (mm)	Diameter (mm)	India	UK, Europe, & Australia	United States & Canada	CN/SG/JP	HK
41.0	13.06	1	C½	1¾		
41.7	13.26	2	D	2	2	
42.3	13.46		D½	2¼		
42.9	13.67	3	E	2½	3	
43.6	13.87	4	E½	2¾		
44.2	14.07		F	3	4	6
44.8	14.27	5	F½	3¼	5	
45.5	14.48		G	3½		7.5
46.1	14.68	6	G½	3¾	6	
46.8	14.88		H	4	7	9
47.4	15.09	7	H½	4¼		
48.0	15.29	8	I	4½	8	10
48.7	15.49	9	J	4¾		
49.3	15.70		J½	5	9	11
50.0	15.90	10	K	5¼		
50.6	16.10		K½	5½	10	12
51.2	16.31	11	L	5¾		
51.9	16.51	12	L½	6	11	13
52.5	16.71		M	6¼	12	
53.1	16.92	13	M½	6½	13	14.5
53.8	17.12		N	6¾		
54.4	17.32	14	N½	7	14	16
55.1	17.53	15	O	7¼		
55.7	17.73		O½	7½	15	17
56.3	17.93	16	P	7¾		
57.0	18.14	17	P½	8	16	18
57.6	18.34		Q	8¼		
58.3	18.54	18	Q½	8½	17	19
58.9	18.75	19	R	8¾		
59.5	18.95		R½	9	18	20.5
60.2	19.15	20	S	9¼		
60.8	19.35	21	S½	9½	19	22
61.4	19.56			9¾		
62.1	19.76	22	T½	10	20	23
62.7	19.96	23	U	10¼	21	
63.4	20.17		U½	10½	22	24
64.0	20.37	24	V	10¾		
64.6	20.57	25	V½	11	23	25
65.3	20.78		W	11¼		
65.9	20.98	26	W½	11½	24	26
66.6	21.18		X	11¾		
67.2	21.39	27	X½	12	25	27.75
67.8	21.59	28	Y	12¼		
68.5	21.79		Z	12½	26	
69.1	22.00	29	Z½	12¾		
69.7	22.20	30		13	27	30
70.4	22.40		Z+1	13¼		
71.0	22.61	31		13½		